Author Index

Abraham, D., see Arasu, P., 223
Aikawa, M., see Klotz, F.W., 177
Arasu, P., Nutman, T.B., Steel, C., Mulligan, M.M., Abraham, D., Tuan, R.S. and Perler, F.B.
Human T-cell stimulation, molecular characterization and in situ mRNA localization of a *Brugia malayi* recombinant antigen, 223
Arauzo, S., see Gómez, M.L., 101
Ashall, F., see Kooy, R.F., 73
Barrett, J., see Brophy, P.M., 187
Baruch, D. and Cabantchik, Z.I.
Passive modulation of antigenic expression in the surface of normal and malaria-infected erythrocytes, 127
Bastien, P., see Pagès, M., 161
Bellis, M., see Pagès, M., 161
Bieber, D., see Webster, P., 217
Blair, D. and McManus, D.P.
Restriction enzyme mapping of ribosomal DNA can distinguish between fasciolid (liver fluke) species, 201
Bock, J.V., see Johnson, K.S., 19
Boisvenue, R.J., see Cox, G.N., 233
Brindley, P.J., Lewis, F.A., McCutchan, T.F., Bueding, E. and Sher, A.
A genomic change associated with the development of resistance to hycanthone in *Schistosoma mansoni*, 243
Brophy, P.M., Papadopoulos, A., Touraki, M., Coles, B., Körting, W. and Barrett, J.
Purification of cytosolic glutathione transferases from *Schistocephalus solidus* (plerocercoid) interaction with anthelmintics and products of lipid peroxidation, 187
Bueding, E., seen Brindley, P.J., 243
Burns, Jr., J.M., see Daly, T.M., 283
Cabantchik, Z.I., see Baruch, D., 127
Campbell, D.A., Spithill, T.W., Samaras, N., Simpson, A.M. and Simpson, L.
Sequence of a cDNA for the ND1 gene from *Leishmania major*: potential uridine addition in the polyadenosine tail, 197
Chakraborty, P.R., see Kirk-Mason, K.E., 87
Changkasiri, S., see Lal, A.A., 67
Chen, G.-X., see Zolg, J.W., 253
Chulay, J.D., see Lyon, J.A., 77
Coles, B., see Brophy, P.M., 187
Cordingley, J.S., see Johnson, K.S., 19
Cox, G.N., Shamansky, L.M. and Boisvenue, R.J.
Identification and preliminary characterization of cuticular surface protein of *Haemonchus contortus*, 233
Daly, T.M., Burns, Jr., J.M. and Long, C.A.
Precursor to the major merozoite surface antigen of *Plasmodium yoelii*: cloning and sequencing of the middle 1.9-kb region (*Short Communication*), 283
De Greef, C., Imberechts, H., Matthyssens, G., Van Meirvenne, N. and Hamers, R.
A gene expressed only in serum-resistant variants of *Trypanosoma brucei rhodesiense*, 169
De Jonckheere, J., see Revets, H., 209
Dekegel, D., see Revets, H., 209
Deleersnijder, W., see Revets, H., 209
Dinman, J., see Scott, A.L., 119
Doering, T.L., see Krakow, J.L., 263
Englund, P.T., see Krakow, J.L., 263
Erijman, M.L., see Gómez, M.L., 101
Flury, K., see Müller, N., 151
Gepstein, A., see Zilberstein, D., 109
Gómez, M.L., Erijman, M.L., Arauzo, S., Torres, H.N. and Téllez-Iñón, M.T.
Protein kinase C in *Trypanosoma cruzi* epimastigote forms: partial purification and characterization, 101
Gottstein, B., see Müller, N., 151
Gray, A., see Hide, G., 51
Hadley, T.J., see Klotz, F.W., 177
Hall, T., see Lyon, J.A., 77
Hamers, R., see De Greef, C., 169
Hamers, R., see Revets, H., 209
Haralambous, A., see Lightowlers, M.W., 287
Harrison, C.M., see Hide, G., 51
Hart, G.W., see Krakow, J.L., 263
Hide, G., Gray, A., Harrison, C.M. and Tait, A.
Identification of an epidermal growth factor receptor homologue in trypanosomes, 51
Hollingdale, M.R., see Lal, A.A., 67
Howard, R.J., see Klotz, F.W., 177
Imberechts, H., see De Greef, C., 169
Jensen, J., see Petersen, C., 61
Johnson, K.S., Wells, K., Bock, J.V., Nene, V., Taylor, D.W. and Cordingley, J.S.
The 86-kilodalton antigen from *Schistosoma mansoni* is a heat-shock protein homologous to yeast HSP-90, 19
Karam, M., see Meredith, S.E.O., 1
Kirk-Mason, K.E., Turner, M.J. and Chakraborty, P.R.
Evidence for unusually short tubulin mRNA leaders and characterization of tubulin genes in *Giardia lamblia*, 87
Klotz, F.W., Hadley, T.J., Aikawa, M., Leech, J., Howard, R.J. and Miller, L.H.
A 60-kDa *Plasmodium falciparum* protein at the moving junction formed between merozoite and erythrocyte during invasion, 177
Komuniecki, P.R., see Vanover-Dettling, L., 29
Kooy, R.F., Ashall, F., Van der Ploeg, M. and Overdulve, J.P.
On het DNA content of *Trypanosoma cruzi*, 73
Körting, W., see Brophy, P.M., 187
Krakow, J.L., Doering, T.L., Masterson, W.J., Hart, G.W. and Englund, P.T.
A glycolipid from *Trypanosoma brucei* related to the variant surface glycoprotein membrane anchor, 263
Lal, A.A., Changkasiri, S., Hollingdale, M.R. and McCutchan, T.F.
Ribosomal RNA-based diagnosis of *Plasmodium falciparum* malaria, 67
Langreth, S.G., see Stanley, H.A., 139
Leech, J., see Klotz, F.W., 177

Leech, J., see Petersen, C., 61
Lewis, A.P.
Cloning and analysis of the gene encoding the 230-kilodalton merozoite surface antigen of *Plasmodium yoelii*, 271
Lewis, F.A., see Brindley, P.J., 243
Leysen, E., see Revets, H., 209
Lightowlers, M.W., Haralambous, A. and Rickard, M.D.
Amino acid sequence homology between cyclophilin and a cDNA-cloned antigen of *Echinococcus granulosus (Short Communication)*, 287
Long, C.A., see Daly, T.M., 283
Lyon, J.A., Thomas, A.W., Hall, T. and Chulay, J.D.
Specificities of antibodies that inhibit merozoite dispersal from malaria-infected erythrocytes, 77
Magowan, C., see Petersen, C., 61
Mansour, J.M. and Mansour, T.E.
Identification of GTP-binding proteins in *Fasciola hepatica* and *Schistosoma mansoni* by immunoblotting, 11
Mansour, T.E., see Mansour, J.M., 11
Mansour, T.E., see Webster, P., 217
Masterson, W.J., see Krakow, J.L., 263
Matthyssens, G., see De Greef, C., 169
McCutchan, T.F., see Brindley, P.J., 243
McCutchan, T.F., see Lal, A.A., 67
McManus, D.P., see Blair, D., 201
Meadows, H.M. and Simpson, A.J.G.
Codon usage in *Schistosoma (Short Communication)*, 291
Meredith, S.E.O., Unnasch, T.R., Karam, M., Piessens, W.F. and Wirth, D.F.
Cloning and characterization of an *Onchocerca volvulus* specific DNA sequence, 1
Miller, L.H., see Klotz, F.W., 177
Müller, N., Gottstein, B., Vogel, M., Flury, K. and Seebeck, T.
Application of a recombinant *Echinococcus multilocularis* antigen in an enzyme-linked immunosorbent assay for immunodiagnosis of human alveolar echinococcosis, 151
Mulligan, M.M., see Arasu, P., 223
Nelson, R., see Petersen, C., 61
Nene, V., see Johnson, K.S., 19
Nutman, T.B., see Arasu, P., 223
Overdulve, J.P., see Kooy, R.F., 73
Pagès, M., Bastien, P., Veas, F., Rossi, V., Bellis, M., Wincker, P., Rioux, J.A. and Roizès, G.
Chromosome size and number polymorphisms in *Leishmania infantum* suggest amplification/deletion and possible genetic exchange, 161
Palmer, S., see Zolg, J.W., 253
Papadopoulos, A., see Brophy, P.M., 187
Peeters, J., see Revets, H., 209
Perler, F.B., see Arasu, P., 223
Petersen, C., Nelson, R., Magowan, C., Wollish, W., Jensen, J. and Leech, J.
The mature erythrocyte surface antigen of *Plasmodium falciparum* is not required for knobs or cytoadherence, 61
Philosoph, H., see Zilberstein, D., 109
Piessens, W.F., see Meredith, S.E.O., 1
Plitt, J.R., see Zolg, J.W., 253
Reese, R.T., see Stanley, H.A., 139
Revets, H., Dekegel, D., Deleersnijder, W., De Jonckheere, J., Peeters, J., Leysen, E. and Hamers, R.
Identification of virus-like particles in *Eimeria stiedae*, 209
Rickard, M.D., see Lightowlers, M.W., 287
Rioux, J.A., see Pagès, M., 161
Roizès, G., see Pagès, M., 161
Rossi, V., see Pagès, M., 161
Samaras, N., see Campbell, D.A., 197
Santos-Buch, C.A., see Von Kreuter, B.F., 41
Scott, A.L., Dinman, J., Sussman, D.J., Yenbutr, P. and Ward, S.
Major sperm protein genes from *Onchocerca volvulus*, 119
Seebeck, T., see Müller, N., 151
Shamansky, L.M., see Cox, G.N., 233
Sher, A., see Brindley, P.J., 243
Simpson, A.J.G., see Meadows, H.M., 291
Simpson, A.M., see Campbell, D.A., 197
Simpson, L., see Campbell, D.A., 197
Spithill, T.W., see Campbell, D.A., 197
Stanley, H.A., Langreth, S.G. and Reese, R.T.
Plasmodium falciparum antigens associated with membrane structures in the host erythrocyte cytoplasm, 139
Steel, C., see Arasu, P., 223
Sussman, D.J., see Scott, A.L., 119
Tait, A., see Hide, G., 51
Taylor, D.W., see Johnson, K.S., 19
Téllez-Iñón, M.T., see Gómez, M.L., 101
Thomas, A.W., see Lyon, J.A., 77
Torres, H.N., see Gómez, M.L., 101
Touraki, M., see Brophy, P.M., 187
Tuan, R.S., see Arasu, P., 223
Turner, M.J., see Kirk-Mason, K.E., 87
Unnasch, T.R., see Meredith, S.E.O., 1
Von Kreuter, B.F. and Santos-Buch, C.A.
Modulation of *Trypanosoma cruzi* adhesion to host muscle cell membranes by ligands of muscarinic cholinergic and beta adrenergic receptors, 41
Van Meirvenne, N., see De Greef, C., 169
Van der Ploeg, M., see Kooy, R.F., 73
Vanover-Dettling, L. and Komuniecki, P.R.
Effect of gas phase on carbohydrate metabolism in *Ascaris suum* larvae, 29
Veas, F., see Pagès, M., 161
Vogel, M., see Müller, N., 151
Ward, S., see Scott, A.L., 119
Webster, P., Mansour, T.E. and Bieber, D.
Isolation of a female-specific, highly repeated *Schistosoma mansoni* DNA probe and its use in an assay of cercarial sex, 217
Wells, K., see Johnson, K.S., 19
Wincker, P., see Pagès, M., 161
Wirth, D.F., see Meredith, S.E.O., 1
Wollish, W., see Petersen, C., 61
Yenbutr, P., see Scott, A.L., 119
Zilberstein, D., Philosoph, H. and Gepstein, A.
Maintenance of cytoplasmic pH and proton motive force in promastigotes of *Leishmania donovani*, 109
Zolg, J.W., Plitt, J.R., Chen, G.-X. and Palmer, S.
Point mutations in the dihydrofolate reductase-thymidylate synthase gene as the molecular basis for pyrimethamine resistance in *Plasmodium falciparum*, 253

Subject Index

Anthelmintic, 187
Antigen, 127, 287
ApH, Proton electrochemical gradient, 109
Ascaris lumbricoides, 119
Ascaris suum, 29
Attachment molecule, 41
Beta-adrenergic receptors, 41
Caenorhabditis elegans, 119
cDNA, 287
cDNA cloning, 151
Cellular immune response, 223
Cercarial sex, 217
Chromosomal rearrangement, 161
Codon usage, 291
Cyclophilin, 287
Cytoadherence, 61
Diacylglycerol, 101
Dihydrofolate reductase thymidylate synthase, 253
DNA content, 71
DNA probe, 1
DNA sequence, 19, 223, 283
rDNA, 201, 243
Double-stranded RNA virus, 209
Drug resistance, 243
Echinococcus granulosus, 287
Echinococcus multilocularis, 151
EGF receptor, 51
Eimeria stiedae, 209
Erythrocyte, 127
Erythrocyte invasion, 177
Fasciola gigantica, 201
Fasciola hepatica, 11, 201
Fascioloides magna, 201
Female-specific DNA probe, 217
Filariasis, 223
Filarioidea, 119
G-protein, 41
Gene copy, 87
Genetic exchange, 161
Genomic DNA sequence, 119
Giardia lamblia, 87
Glucose metabolism, 29
Glutathione transferase, 187
Glycolipid, 263
Glycoprotein, 233
Glycosyl-phosphatidylinositol, 263
GTP-binding protein, 11
Haemonchus contortus, 233
Heat-shock protein, 19
Human malaria, 139
Hycanthone, 243
Immune complex, 77
Immunodiagnosis, 151
Immunofluorescence, 233
In situ hybridization, 223
In vitro cultivation, 233
Interstrain difference, 73
Intracellular pH
Knob, 61
^{125}I-labeling, 233
Larva, 29
Leishmania, 161
Leishmania donovani, 109
Leishmania major 197
Lipid peroxidation, 187
Major merozoite surface antigen, 283
Major sperm protein, 119
Malaria, 61, 77, 127, 271, 283
Membrane, 127
Membrane anchor, 263
Membrane-membrane adhesion, 41
Merozoite, 77
Merozoite antigen, 177
Microfluorometry, 73
Microviscosity, 127
Modified erythrocyte host membrane, 139
Molecular karyotype, 161
Muscarinic cholinergic receptor, 41
NADH dehydrogenase 1, 197
Nematode, parasitic, 119
^{13}C-NMR, 29
Nucleic acid sequence, 271
Onchocerca volvulus, 1, 119
Parasite-host cell recognition, 41
Phorbol ester, 101
Plasmodium falciparum, 61, 67, 77, 127, 139, 253
Plasmodium yoelii, 271, 283
Point mutation, 253
Poly-A tail, 197
Polymerase chain reaction, 253
Precursor to the major merozoite surface antigens, 271
Promastigotes, 109
Promoter consensus, 87
Protein kinase, 51
Protein kinase C, 101
Protozoan virus, 209
Pulsed field gel electrophoresis, 161
Pyrimethamine resistance, 253
Recombinant antigen, 151
Repeated sequence, 1, 217
Restriction map, 201
RFLP, 243
mRNA leader, 87
mRNA, 169
rRNA, 67
Schistocephalus solidus (plerocercoid), 187
Schistosoma, 291
Schistosoma mansoni, 11, 19, 201, 217
Schistosome, 243
Sequence, 287
Serum resistance, 169
Signal transduction, 11

Species determination, 1
Spermatozoa, 119
Staurosporine, 101
Surface antigen, 77
Surface protein, 233
T cell, 223
Transport protein, 139
Trypanosoma brucei rhodesiense, 169
Trypanosoma cruzi, 41, 73, 101
Trypanosome, 51, 263
Trypanosome growth, 51
Tubulin cDNA, 87
Two-color immunofluorescence, 177
Uridine addition, 197
Vaccine, 77
Variant surface glycoprotein, 263
W chromosome, 217